



46-year-old man with acute dyspnea and cough. He had a diagnosis of GIST with hepatic metastasis, known 7 months prior to presentation. He had a history of being treated with Gleevec. Lung biopsy performed.

Tom Colby; Mayo Clinic Scottsdale









67-year-old man presents with general malaise and DOE. Marked peripheral lymphocytosis noted (WBC 30K; 90% lymphocytes), small IgM gammopathy, enlarged spleen (13.5cm), fatty infiltration of liver on CT, and enlarged portohepatic / portocaval / celiac axis lymph nodes (1.6cm) without other lymphadenopathy. Peripheral blood smear and bone marrow biopsy performed.


Charles Lombard; El Camino Hospital


67 yo M

Presents with general malaise and DOE


- Marked peripheral lymphocytosis
 WBC 30 K; 90% lymphs
- Small Ig M gammopathy
- Enlarged spleen 13.5 cm
- Fatty infiltration of liver on CT
- Enlarged (1.6 cm) LN's
 - Portohepatic, portocaval, celiac axis
 - No other lymphadenopathy
- Bone Marrow Biopsy Performed


Peripheral Blood Smear






BM Aspirate Smear









CD 20





71-year-old man with liver mass. Core biopsy performed.

Ankur Sangoi/John Collin; El Camino Hospital













65-year-old man with severe GI bleeding. Jejunum resection performed.


Ankur Sangoi; El Camino Hospital





















57-year-old woman with clusters of calcifications identified on left breast screening mammogram.

Sarah Cherny; Kaiser SF













62-year-old woman with 3cm "vague" mass in right mid kidney. CT-guided core biopsy performed.

Gloria Yu/Tom Chu O'Connor Hospital













54-year-old man with mycosis fungoides had cutaneous disease progression and developed generalized lymphadenopathy. Skin and lymph node biopsy performed.


Robert LeBlanc/Dita Gratzinger; Stanford


















38-year-old woman who underwent laparoscopic morcellated hysterectomy. Per gross report, the specimen was received in multiple fragments and measured 20cm in aggregate and weighed 352g.


Ben Buelow/Karuna Garg; UCSF















7-year-old male with polyuria. Nephrectomy submitted.


Adam Gomez/Richard Sibley; Stanford

















29-year-old man with hand mass. Excision submitted.

Adam Gomez/Richard Kempson/Florette Hazard; Stanford





